

## SETTLEMENT TERM SHEET

The final agreement will be between the State of New Hampshire, Department of Environmental Services (“NHDES”), by and through its attorney the Office of the Attorney General (collectively “State”) and Saint-Gobain Performance Plastics Corporation (“SGPP”).

As used in this term sheet (“Term Sheet”), the “Ring” refers to the area outside of the inner-boundary or “pre- GMZ” (red boundary) and inside of the outer boundary (blue boundary) as shown on Exhibit C to the Consent Decree submitted by the parties to the Merrimack County Superior Court in 2018, in Docket No. 217-2018-CV-00198 (“2018 Consent Decree”). This exhibit will be attached to the final form of the agreement. Unless specifically noted and except for those properties specifically described, this Term Sheet will apply to the Ring.

This Term Sheet is meant to provide certainty with respect to some aspects of the ongoing project near the SGPP facility in Merrimack, New Hampshire. The Term Sheet does not address every aspect of such remediation and nothing in it should be interpreted as applying beyond its specific terms.

### **Remediation and the Provision of Alternate Drinking Water**

SGPP will propose to perform investigation and remediation using an iterative, step-wise method consistent with the methods approved by NHDES previously in other areas. NHDES will not unreasonably withhold approval of such proposals. While additional water supply sampling will need to be completed, supply well sampling sufficient to guide decisions regarding provision of alternative water in several areas of the Ring was substantially completed as of December 31, 2021.

Based on the sampling completed in the Ring, SGPP shall propose remedial solutions for all private drinking water wells within the Ring testing above State standards by April 30, 2022, except to the extent that SGPP disputes its responsibility for particular areas within the Ring. NHDES will decide which proposed remedial measures will be approved only after it has determined that sufficient data has been collected in an area to support such a decision. SGPP reserves the right to challenge any such NHDES decision other than decisions regarding remedial measures specifically addressed by this Term Sheet or the 2018 Consent Decree. For those areas within the Ring where SGPP disputes its responsibility or challenges NHDES’s remedial decision, SGPP and NHDES will work in good faith to resolve the dispute, subject to the dispute resolution terms of the 2018 Consent Decree.

Investigation and remediation will occur in a manner consistent with Env-Or 600 et seq. and other applicable statutes and rules. NHDES’s remedial decisions will be guided whenever possible by the remedy selection criteria set forth in Env-Or 606.12(c), including effectiveness

and reliability, feasibility and ease of implementation, risk reduction, cost-effectiveness, and time to achieve no further action criteria.

Waterline extensions will not be a presumptive drinking water remedy and it is anticipated that POETS will be the most appropriate remedy in many instances.

NHDES and SGPP agree that the following provisions apply to remediation performed by SGPP in the Ring or to properties specifically addressed in the final agreement:

- For each property that receives permanent provision of alternate drinking water in the form of a waterline extension, SGPP shall be released from all further claims related to the provision of alternate drinking water for such property;
- For any property for which NHDES approves use of a Point of Entry Treatment System ("POET"), SGPP shall pay for the costs of operation and maintenance of such POET but may cease paying for such costs if three consecutive rounds of annual test results indicate that the drinking water is below State standards and these three consecutive results do not show an upward trend in concentration. However, SGPP must reinstall the POET and begin paying operation and maintenance costs again if later test results indicate that drinking water is above State standards including any State standard promulgated after the date of this agreement and the subsequent detection above state standards is not attributable to another source. It is SGPP's burden to demonstrate that detection above State standards is attributable to another source. If SGPP is required to reinstall or continue operating and maintaining any POETS, SGPP may again cease paying for operation and maintenance when three consecutive rounds of annual test results indicate that the drinking water is once again below State standards, including any State standards promulgated after the date of this agreement, and these three consecutive results do not show an upward trend in concentration. Nothing herein shall be interpreted to require a remedy other than a POET where SGPP proposes a POET as the remedy for a given property and such POET is approved by NHDES as the remedy for such property. Annual testing protocols must be approved by NHDES;
- Where waterlines are approved as the method of providing alternate drinking water, if the State agrees in writing that a property is currently an undeveloped lot, SGPP shall provide a curb stop or stub to the property such that a future developer may connect to the waterline. SGPP shall not be responsible for the cost of any future connection to the curb stop or stub. To the extent that a water system refuses to install a curb stop at an undeveloped property, SGPP and NHDES will work in good faith to find an adequate solution; however, each side hereby reserves all rights that it may have in the event that an agreed-upon solution cannot be reached;
- For all properties that receive a waterline extension or connection to an existing line, SGPP shall provide for decommissioning of existing wells should the property owner so choose; and,
- To the extent SGPP offers to connect any property to a waterline and the property owner elects not to be connected to such waterline or elects to retain a non-potable well or

wells, the State shall not direct or require SGPP to connect such property in the future, otherwise provide any form of alternate water or water treatment for such properties, or direct or require SGPP to pay for the decommissioning of any wells at such property or any other activities related to such wells. This shall remain true even if the properties are subsequently sold or otherwise transferred or conveyed.

Without limiting any other remedial actions that may be required, within 30 days following execution of this Term Sheet, SGPP will engage in discussions with the relevant drinking water utilities (and any associated contractors) and in good faith pursue the necessary agreements that would authorize the utilities to conduct the necessary evaluations and associated engineering design work needed to implement the following remedial actions. SGPP will make all reasonable efforts to ensure that all necessary design work is initiated within 30 days following the full execution of this term sheet and applications for the necessary regulatory approvals are completed and/or obtained by June 30, 2022. SGPP shall be responsible for ensuring that the work described herein is actually completed but will not be subject to contempt penalties or any other penalties with respect to any delays resulting from a failure of the contractor or other third party or delays resulting from impossibility or force majeure provided SGPP has made reasonable efforts to ensure completion of the work. Within 30 days of completion of the necessary design work and regulatory approvals for a project, SGPP hereby agrees to authorize bidding and construction to commence. SGPP further agrees to work with the relevant drinking water utilities (and any associated contractors) so that they may complete such work as soon as reasonably possible:

- *Bedford, South of County Road & East of Liberty Hill Road* — (a) Authorize Pennichuck Water Works (“Pennichuck”) to evaluate the connection of properties with water that has tested above State standards to existing waterlines, and work with Pennichuck to complete such connections if NHDES deems it appropriate under the remedy selection criteria described above; and (b) Offer POETs to the rest of properties testing above State standards for which NHDES approves the use of a POET (See Attachment 1 for a list of properties covered by this paragraph).
- *Hillcrest Road Area, Litchfield* — Authorize Pennichuck to evaluate the extension of waterlines to properties testing above State standards throughout this area and work with Pennichuck to complete such waterline extensions if NHDES deems it appropriate using the remedy selection criteria described above (See Attachment 2 for a list of properties covered by this paragraph).
- *Wildcat Falls Area & Brenda Lane, Merrimack* — Work with NHDES and Merrimack Village District (“MVD”) to evaluate the extension of waterlines to properties testing above State standards throughout this area and fund such waterline extensions if NHDES deems it appropriate under the remedy selection criteria described above. (See Attachment 3 for a list of properties covered by this paragraph).
- *Other areas* — In other areas in the Ring where waterlines already exist, and where NHDES and SGPP agree that evidence does not indicate that another party is at least partially responsible, SGPP will work with local water providers (i.e., Pennichuck, MVD, and Manchester Water Works) to evaluate making connections to existing

waterlines. If agreement is not reached between NHDES and SGPP as to the actual connections, the parties both reserve their respective rights to seek whatever relief or resolution would be otherwise available. (See Attachment 4 for a list of properties covered by this paragraph).

As data is collected to support remedial actions in other areas of the Ring, and where NHDES and SGPP agree that evidence does not indicate that another party is substantially responsible, SGPP will implement appropriate remedies consistent with the principles set forth above. Both NHDES and SGPP reserve all rights not otherwise specifically abrogated in this Term Sheet in the event that agreement cannot be reached. Nothing herein shall be interpreted as prohibiting NHDES from using its normal statutory and regulatory authority in any instance where another party may be partially responsible and NHDES and SGPP do not agree on an appropriate remedy or allocation of cost of such remedy.

To the extent that there are public water supply wells within the Ring that are not currently being sampled under existing regulations, SGPP will cooperate with NHDES to ensure that such supply wells are sampled.

To the extent that there are public supply wells within the Ring that contain PFAS above State standards, SGPP will continue to work with NHDES to evaluate the sampling data and to discuss potential remedial options, including the involvement of other parties and public water suppliers, as appropriate.

Unless specifically addressed by this Term Sheet or the final agreement, NHDES retains all of its regulatory and statutory authority.

SGPP is not released from any obligation other than as specifically stated herein.

These terms will be memorialized in a Consent Decree to be entered as an order of the Court in Docket No. 217-2018-CV-00198. Nothing herein implies or shall be interpreted to mean that any terms of the 2018 Consent Decree shall be imported or otherwise apply to this agreement or the new Consent Decree, provided, however, the terms of the 2018 Consent Decree shall remain in effect to the extent that they are not inconsistent with the provisions set forth herein, and, except where expressly indicated, nothing in the new Consent Decree shall alter or abridge the parties' existing respective rights and obligations set forth in the 2018 Consent Decree, specifically including, but not limited to those, set forth in Paragraphs 26 (Point-of-Entry Treatment Systems), 27 (Establishment of Groundwater Management Zone), 28 (Conduct of Site Investigation and Proposal of Remedial Action Plan), and 31 (Release). Properties that receive a POET under the provisions of this Term Sheet will not be considered an "Addressed Property" under the terms of the 2018 Consent Decree but will instead be governed by the terms set forth herein. Properties that are connected to, or are offered and refuse a connection to, Merrimack Village District Water Works, Pennichuck Water Works, or Manchester Water Works, including properties that receive a curb stop in a manner agreed upon by the parties, shall be considered an "Addressed Property" consistent with the terms of the 2018 Consent Decree. The terms will become binding on the parties at the time of signature and remain binding whether or not the Court enters the Consent Decree as a court order.



New Hampshire Department of  
Environmental Services

By:  Date: 4/14/22

Saint-Gobain Performance Plastics  
Corporation

By: Jean B. Angus Date: 04/13/2022

223863625v1

Table A-1  
Bedford - South of County Road East of Liberty Hill Road  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connection to Existing Water Line	Water Line Extension	POET System
AW-01001	BACK RIVER RD	64	25	61	-	11			X
AW-01002	BACK RIVER RD	128	25	70	1	11	X		
AW-01003	BACK RIVER RD	142	25	78	-	11	X		
AW-01004	BACK RIVER RD	157	34	62	1	11	X		
AW-01005	BAYBERRY CT	7	25	96	17	11			X
AW-01006	BAYBERRY CT	10	25	96	13	11			X
AW-01007	CAMELOT DR	1	33	12	5	11			X
AW-01008	CAMELOT DR	4	26	5	4	11			X
AW-01009	CAMELOT DR	5	33	12	7	11			X
AW-01010	CAMELOT DR	12	26	5	33	11			X
AW-01011	CAMELOT DR	19	33	12	30	11			X
AW-01012	CAMELOT DR	24	33	12	49	11			X
AW-01013	CAMELOT DR	30	33	12	48	11			X
AW-01014	CAMELOT DR	36	33	12	47	11			X
AW-01015	CAMELOT DR	37	33	12	28	11			X
AW-01016	CAMELOT DR	45	33	12	26	11			X
AW-01017	CAMELOT DR	49	33	12	25	11			X
AW-01018	CAMELOT DR	59	26	5	22	11			X
AW-01019	CAMELOT DR	69	26	5	19	11			X
AW-01020	CAMELOT DR	70	26	5	41	11			X
AW-01021	CAMELOT DR	78	26	5	40	11			X
AW-01022	CAMELOT DR	79	26	5	17	11			X
AW-01023	CAMELOT DR	96	26	5	35	11			X
AW-01024	CAMELOT DR	97	26	5	14	11			X
AW-01025	CAMELOT DR	102	26	5	11	11			X
AW-01026	CAMELOT DR	103	26	5	13	11			X
AW-01027	CAMELOT DR	107	26	5	12	11			X
AW-01028	CAMELOT DR	109	26	5	10	11			X
AW-01029	CAMELOT DR	113	26	5	9	11			X
AW-01030	CAMELOT DR	116	26	5	34	11			X
AW-01031	CAMELOT DR	121	26	5	8	11			X
AW-01032	CAMP RD	36	34	19	-	27			X
AW-01033	CHECKERBERRY LN	1	33	4	38	11			X
AW-01034	COUNTY RD	119	21	11	-	11	X		
AW-01035	COUNTY RD	143	22	93	-	11	X		
AW-01036	COUNTY RD	187	25	80	-	11			X
AW-01037	COUNTY RD	207	25	57	1	11	X		
AW-01038	COUNTY RD	211	25	57	2	11	X		
AW-01039	COUNTY RD	215	25	59	-	11	X		
AW-01040	COUNTY RD	233	25	30	-	11	X		
AW-01041	COUNTY RD	245	25	32	-	11	X		
AW-01042	DALTON RD	3	25	81	-	11	X		
AW-01043	DALTON RD	9	25	83	-	11			X
AW-01044	DEVONSHIRE WY	1	33	11	1	11			X

Table A-1  
Bedford - South of County Road East of Liberty Hill Road  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connection to Existing Water Line	Water Line Extension	POET System
AW-01045	DEVONSHIRE WY	2	33	11	2	11			X
AW-01046	DEVONSHIRE WY	4	33	11	4	11			X
AW-01047	DEVONSHIRE WY	5	33	11	3	11			X
AW-01048	DEVONSHIRE WY	8	33	11	6	11			X
AW-01049	FOREST DR	30	26	4	26	11			X
AW-01050	FOREST DR	40	26	4	23	11			X
AW-01051	HARROD LN	15	33	69	25	11			X
AW-01052	HARROD LN	19	33	69	26	11			X
AW-01053	HARROD LN	20	33	69	27	11			X
AW-01054	HARROD LN	23	33	54	4	11			X
AW-01055	HARROD LN	27	33	54	3	11			X
AW-01056	HARROD LN	30	33	54	7	11			X
AW-01057	HARROD LN	31	34	58	9	11			X
AW-01058	HARROD LN	35	34	58	8	11			X
AW-01059	HIGHLAND FARMS DR	7	26	6	20	11			X
AW-01060	HIGHLAND FARMS DR	11	26	6	21	11			X
AW-01061	HIGHLAND FARMS DR	12	26	6	17	11			X
AW-01062	HIGHLAND FARMS DR	15	26	6	22	11			X
AW-01063	HIGHLAND FARMS DR	19	26	6	23	11			X
AW-01064	HIGHLAND FARMS DR	20	26	6	19	11			X
AW-01065	HIGHLAND FARMS DR	23	26	6	24	11			X
AW-01066	HIGHLAND FARMS DR	24	26	6	56	11			X
AW-01067	HIGHLAND FARMS DR	25	26	6	25	11			X
AW-01068	HIGHLAND FARMS DR	28	26	6	55	11			X
AW-01069	HIGHLAND FARMS DR	29	26	6	26	11			X
AW-01070	HIGHLAND FARMS DR	31	26	6	27	11			X
AW-01071	HIGHLAND FARMS DR	32	26	6	54	11			X
AW-01072	HIGHLAND FARMS DR	35	26	6	28	11			X
AW-01073	HIGHLAND FARMS DR	44	26	6	51	11			X
AW-01074	HORIZON DR	1	33	4	36	11			X
AW-01075	HORIZON DR	12	38	4	43	11			X
AW-01076	HORIZON DR	15	38	4	47	11			X
AW-01077	HORIZON DR	26	38	4	28	11			X
AW-01078	HORIZON DR	27	38	4	22	11			X
AW-01079	HORIZON DR	32	38	4	27	11			X
AW-01080	HORIZON DR	35	38	4	21	11			X
AW-01081	HORIZON DR	40	38	4	50	11			X
AW-01082	HORIZON DR	49	38	4	18	11			X
AW-01083	HORIZON DR	51	38	4	17	11			X
AW-01084	HORIZON DR	60	38	4	26	11			X
AW-01085	HORIZON DR	66	38	4	29	11			X
AW-01086	JUNIPER DR	27	33	7	9	11			X
AW-01087	JUNIPER DR	34	33	7	6	11			X
AW-01088	KAROLINA LN	7	25	60	5	11			X

Table A-1  
Bedford - South of County Road East of Liberty Hill Road  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connection to Existing Water Line	Water Line Extension	POET System
AW-01089	KAROLINA LN	8	25	60	12	11			X
AW-01090	KAROLINA LN	11	25	60	6	11			X
AW-01091	KAROLINA LN	12	25	60	11	11			X
AW-01092	KAROLINA LN	15	25	60	7	11			X
AW-01093	KAROLINA LN	19	25	60	8	11			X
AW-01094	LIBERTY HILL RD	158	26	8	3	11			X
AW-01095	LIBERTY HILL RD	160	26	6	6	11			X
AW-01096	LIBERTY HILL RD	164	26	6	5	11			X
AW-01097	LIBERTY HILL RD	178	26	6	2	11			X
AW-01098	LIBERTY HILL RD	180	26	6	1	11			X
AW-01099	LIBERTY HILL RD	184	26	5	1	11			X
AW-01100	LIBERTY HILL RD	188	26	5	2	11			X
AW-01101	LIBERTY HILL RD	194	26	5	3	11			X
AW-01102	LIBERTY HILL RD	208	33	12	6	11			X
AW-01103	LIBERTY HILL RD	234	33	9	74	11			X
AW-01104	LIBERTY HILL RD	312	38	11	-	11			X
AW-01105	MEADOWCREST DR	26	33	9	54	11			X
AW-01106	MEADOWCREST DR	37	33	9	30	11			X
AW-01107	MEADOWCREST DR	38	33	9	52	11			X
AW-01108	MEADOWCREST DR	43	33	9	32	11			X
AW-01109	MEADOWCREST DR	46	33	9	51	11			X
AW-01110	MEADOWCREST DR	65	33	9	42	11			X
AW-01111	MEADOWCREST DR	75	33	9	44	11			X
AW-01112	MONADNOCK LN	3	38	4	23	11			X
AW-01113	MULBERRY LN	5	25	35	17	11			X
AW-01114	MULBERRY LN	8	25	35	18	11			X
AW-01115	MULBERRY LN	11	25	96	20	11			X
AW-01116	MULBERRY LN	17	25	96	19	11			X
AW-01117	OLD SAWMILL RD	16	26	6	9	11			X
AW-01118	OLD SAWMILL RD	31	26	6	46	11			X
AW-01119	OLD SAWMILL RD	35	26	6	47	11			X
AW-01120	OLD SAWMILL RD	36	26	6	39	11			X
AW-01121	OLD SAWMILL RD	39	26	6	48	11			X
AW-01122	OLD SAWMILL RD	40	26	6	38	11			X
AW-01123	OLD SAWMILL RD	42	26	6	37	11			X
AW-01124	OLD SAWMILL RD	44	26	6	36	11			X
AW-01125	OLD SAWMILL RD	45	26	6	49	11			X
AW-01126	OLD SAWMILL RD	48	26	6	35	11			X
AW-01127	OLD SAWMILL RD	49	26	6	50	11			X
AW-01128	SANDY POND PKWY	27	34	23	27	11			X
AW-01129	SANDY POND PKWY	28	34	23	8	11			X
AW-01130	SANDY POND PKWY	31	34	23	26	11			X
AW-01131	SANDY POND PKWY	59	34	23	18	11			X
AW-01132	SANDY POND PKWY	89	34	23	9	11			X

Table A-1  
Bedford - South of County Road East of Liberty Hill Road  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connection to Existing Water Line	Water Line Extension	POET System
AW-01133	SEBBINS POND DR	1	25	57	3	11	X		
AW-01134	SEBBINS POND DR	11	25	57	5	11			X
AW-01135	SEBBINS POND DR	17	25	56	-	11			X
AW-01136	SEBBINS POND DR	18	25	36	-	11			X
AW-01137	SEBBINS POND DR	19	25	55	-	11			X
AW-01138	SEBBINS POND DR	22	25	96	21	12			X
AW-01139	SEBBINS POND DR	28	25	37	1	11			X
AW-01140	SEBBINS POND DR	34	25	37	3	11			X
AW-01141	SEBBINS POND DR	36	25	37	4	11			X
AW-01142	SEBBINS POND DR	43	25	54	1	11			X
AW-01143	SEBBINS POND DR	50	25	37	9	11			X
AW-01144	SEBBINS POND DR	52	25	37	10	11			X
AW-01145	SEBBINS POND DR	55	25	50	-	11			X
AW-01146	SEBBINS POND DR	59	25	48	-	11			X
AW-01147	SEBBINS POND DR	62	25	38	-	11			X
AW-01148	SEBBINS POND DR	67	25	42	-	11			X
AW-01149	SEBBINS POND DR	71	25	41	-	11			X
AW-01150	SEBBINS POND DR	73	25	40	10	11			X
AW-01151	SEBBINS POND DR	90	34	24	16	11			X
AW-01152	SILVER SPRING DR	11	25	70	6	11			X
AW-01153	SMITH RD	2	33	8	-	11			X
AW-01154	SMITH RD	15	33	4	37	11			X
AW-01155	SMITH RD	25	33	4	35	11			X
AW-01156	SMITH RD	36	33	7	10	11			X
AW-01157	SMITH RD	39	33	4	34	11			X
AW-01158	SMITH RD	43	38	4	11	11			X
AW-01159	SMITH RD	71	38	69	1	11			X
AW-01160	SMITH RD	78	38	69	21	11			X
AW-01161	SMITH RD	82	37	69	20	11			X
AW-01162	STEPHANIE DR	14	26	3	4	11			X
AW-01163	TAVISTOCK DR	2	33	9	38	11			X
AW-01164	TAVISTOCK DR	10	33	9	37	11			X
AW-01165	TAVISTOCK DR	19	34	58	4	11			X
AW-01166	TIRRELL RD	25	26	1	-	11	X		
AW-01167	TIRRELL RD	26	26	40	-	11	X		
AW-01168	TIRRELL RD	30	26	3	1	11	X		
AW-01169	VERONICA DR	5	38	69	2	11			X
AW-01170	VERONICA DR	9	38	69	3	11			X
AW-01171	VERONICA DR	14	37	69	17	11			X
AW-01172	VERONICA DR	17	38	69	4	11			X
AW-01173	VERONICA DR	18	37	69	16	11			X
AW-01174	VERONICA DR	35	38	69	5	11			X
AW-01175	VERONICA DR	39	38	69	6	11			X
AW-01176	VERONICA DR	41	38	69	7	11			X


Table A-1  
Bedford - South of County Road East of Liberty Hill Road  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connection to Existing Water Line	Water Line Extension	POET System
AW-01177	VERONICA DR	42	38	69	12	11			X
AW-01178	VERONICA DR	45	38	69	8	11			X
AW-01179	VERONICA DR	47	38	69	9	11			X
AW-01180	WOBURN ABBEY DR	4	33	9	79	11			X
AW-01181	WOBURN ABBEY DR	5	33	9	55	11			X
AW-01182	WOBURN ABBEY DR	7	33	9	56	11			X
AW-01183	WOBURN ABBEY DR	10	33	9	78	11			X
AW-01184	WOBURN ABBEY DR	11	33	9	57	11			X
AW-01185	WOBURN ABBEY DR	13	33	9	58	11			X
AW-01186	WOBURN ABBEY DR	15	33	9	59	11			X
AW-01187	WOBURN ABBEY DR	19	33	9	60	11			X
AW-01188	WOBURN ABBEY DR	20	33	9	75	11			X
AW-01189	WOBURN ABBEY DR	24	33	9	73	11			X
AW-01190	WOBURN ABBEY DR	25	33	9	61	11			X
AW-01191	WOBURN ABBEY DR	30	33	9	71	11			X
AW-01192	WOBURN ABBEY DR	33	33	9	63	11			X
AW-01193	WOBURN ABBEY DR	36	33	9	70	11			X
AW-01194	WOBURN ABBEY DR	37	33	9	64	11			X
AW-01195	WOBURN ABBEY DR	39	33	9	65	11			X
AW-01196	WOBURN ABBEY DR	43	33	9	68	11			X

**Notes**

1) Alternate water status based on results received through February 9, 2022.





**LEGEND**

Pre-GMZ Boundary (see Note 1)  
 Outer Boundary (see Note 1)  
 Town Boundary  
 Bedford - South of County Road A East of Liberty Hill Road  
 INDIGES Sample Location  
 Gish Sample Location  
 Approximate Location of Known Water Main Line  
**PFOA Results**  
 Non-detect  
 ≤ 12 ppt  
 > 12 ppt  
**Addendum 13 Properties**  
 Identified for Sampling or Confirmation of Water Supply Status  
 Identified for Remediation - Addendum 13  
 Identified for Remediation - Prior Attention  
**Work Plan and Addendum 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 Properties**  
 Properties not Currently Eligible for Sampling  
 Confirmed Connection to PWS  
 Bottled Water Period and Access to Water Mains is Likely

Occupants have been Offered Bottled Water  
 Identified for Sampling Where Occupants have been Offered Bottled Water  
 Identified for Sampling or Confirmation of Water Supply Status  
**Property-Water Main Status**  
 Access to Alternate Water (if applicable) confirmed by Consent Decree  
 Connection to PWS Confirmed  
 Access to Water Main is Likely  
 Access to Water Mains is not Likely  
 Fire Stations 2500 ft Buffer

**NOTE(S)**

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 20, 2018.  
 2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 8, 2022.  
 3. PFOA DATASET INCLUDES DATA RECEIVED AS OF FEBRUARY 8, 2022, AND DATA PROVIDED BY INDIGES ON AUGUST 12, 2021.  
 4. MOST RECENT DATA FOR EACH LOCATION IS SHOWN. IF MULTIPLE SAMPLES WERE TAKEN ON THE SAME DATE, THE SAMPLE WITH THE HIGHEST VALUE IS SHOWN.

**REFERENCE(S)**

1. COORDINATE SYSTEM: NAD 83 STATEPLANE NEW HAMPSHIRE FIPS 2003 FEET  
 2. BASEMAP: ENR HERE, GARMIN, (C) STREETVIEW CONTRIBUTORS, AND THE GIS USER COMMUNITY

CLIENT

SAINT-GOBAIN PERFORMANCE PLASTICS

PROJECT

SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY  
MERRIMACK, NH

TITLE

ANALYTICAL RESULTS SUMMARY  
BEDFORD - SOUTH OF COUNTY ROAD & EAST OF LIBERTY HILL ROAD

CONSULTANT

GOLDER  
MEMBER OF WSP

YYYY-MM-DD	2023-04-08
DESIGNED	RMB
PREPARED	CMS
REVIEWED	BDL
APPROVED	KJZ

PROJECT NO.  
20142270

CONTROL

REV.

FIGURE  
A-1

Table A-2  
Litchfield - Hillcrest Road Area  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connected <sup>2</sup>	Connection to Existing Water Line	Water Line Extension	Undeveloped - Curb Stop <sup>3</sup>	Undeveloped - No Curb Stop <sup>4</sup>	POET System
AW-02001	BUTTONBUSH LANE	1	14	-	79	11			X			
AW-02002	BUTTONBUSH LANE	2	14	-	77	11			X			
AW-02003	BUTTONBUSH LANE	4	14	-	82	11			X			
AW-02004	BUTTONBUSH LANE	5	14	-	81	11			X			
AW-02005	BUTTONBUSH LANE	6	14	-	84	11			X			
AW-02006	BUTTONBUSH LANE	7	14	-	83	11			X			
AW-02007	BUTTONBUSH LANE	8	14	-	85	11			X			
AW-02008	COLONIAL DRIVE	2	16	-	52	11	X					
AW-02009	COLONIAL DRIVE	4	16	-	55	11	X					
AW-02010	COLONIAL DRIVE	5	16	-	54	11	X					
AW-02011	COLONIAL DRIVE	6	16	-	56	11	X					
AW-02012	COLONIAL DRIVE	8	16	-	57	60					X	
AW-02013	COLONIAL DRIVE	10	16	-	58	11	X					
AW-02014	COLONIAL DRIVE	11	17	-	14	11	X					
AW-02015	COLONIAL DRIVE	12	17	-	24	11	X					
AW-02016	COLONIAL DRIVE	13	17	-	15	11	X					
AW-02017	COLONIAL DRIVE	14	17	-	23	11	X					
AW-02018	COLONIAL DRIVE	15	17	-	16	11		X				
AW-02019	COLONIAL DRIVE	16	17	-	22	11	X					
AW-02020	COLONIAL DRIVE	17	17	-	17	11	X					
AW-02021	COLONIAL DRIVE	18	17	-	21	11	X					
AW-02022	COLONIAL DRIVE	19	17	-	18	11		X <sup>5</sup>				
AW-02023	COLONIAL DRIVE	21	17	-	19	11	X					
AW-02024	COLONIAL DRIVE	22	17	-	20	11	X					
AW-02025	COLONIAL DRIVE	23	17	-	25	11	X					
AW-02026	COLONIAL DRIVE	27	17	-	10	27					X	
AW-02027	COLONIAL DRIVE	BL89	16	-	7	22					X	
AW-02028	DEERWOOD DRIVE	1	13	-	88	11	X					
AW-02029	DEERWOOD DRIVE	2	16	-	47	11	X					
AW-02030	DEERWOOD DRIVE	10	16	-	49	11		X				
AW-02031	DEERWOOD DRIVE	11	13	-	87	11	X					
AW-02032	DEERWOOD DRIVE	12	16	-	50	11	X					
AW-02033	DEERWOOD DRIVE	14	16	-	51	11	X					
AW-02034	DEERWOOD DRIVE	15	14	-	89	11		X				
AW-02035	DEERWOOD DRIVE	17	14	-	90	11	X					
AW-02036	DEERWOOD DRIVE	18	16	-	53	11	X					
AW-02037	DEERWOOD DRIVE	22	17	-	13	11	X					
AW-02038	DEERWOOD DRIVE	24	17	-	12	11	X					
AW-02039	DEERWOOD DRIVE	25	14	-	91	11	X					
AW-02040	DEERWOOD DRIVE	26	17	-	11	11	X					
AW-02041	DEERWOOD DRIVE	28	14	-	92	11	X					
AW-02042	DEERWOOD DRIVE	32	14	-	80	11			X			
AW-02043	DEERWOOD DRIVE	34	14	-	78	11			X			
AW-02044	DEERWOOD DRIVE	36	14	-	76	11			X			
AW-02045	HERON DRIVE	1	17	-	1	11	X					
AW-02046	HERON DRIVE	2	17	-	46	11	X					
AW-02047	HERON DRIVE	4	17	-	45	11	X					
AW-02048	HERON DRIVE	5	17	-	7	11	X					
AW-02049	HERON DRIVE	6	17	-	44	11	X					
AW-02050	HERON DRIVE	7	17	-	40	11	X					
AW-02051	HERON DRIVE	8	17	-	43	11	X					
AW-02052	HERON DRIVE	9	17	-	41	11	X					
AW-02053	HERON DRIVE	10	17	-	42	11	X					
AW-02054	HERON DRIVE	12	17	-	47	11	X					
AW-02055	HERON DRIVE	14	17	-	47	11		X				
AW-02056	HERON DRIVE	BL41	17	-	2	27					X	
AW-02057	HILLCREST ROAD	5	14	-	48	27					X	
AW-02058	HILLCREST ROAD	10	14	-	47	11	X					
AW-02059	HILLCREST ROAD	16	14	-	179	11	X					
AW-02060	HILLCREST ROAD	18	14	-	178	11	X					
AW-02061	HILLCREST ROAD	24	14	-	67	27				X		
AW-02062	HILLCREST ROAD	43	14	-	69	11			X			
AW-02063	HILLCREST ROAD	48	14	-	177	11			X			
AW-02064	HILLCREST ROAD	52	14	-	176	11			X			



Table A-2  
Litchfield - Hillcrest Road Area  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connected <sup>2</sup>	Connection to Existing Water Line	Water Line Extension	Undeveloped - Curb Stop <sup>3</sup>	Undeveloped - No Curb Stop <sup>4</sup>	POET System
AW-02065	HILLCREST ROAD	60	14	-	86	11			X			
AW-02066	HILLCREST ROAD	66	13	-	44	11			X			
AW-02067	HILLCREST ROAD	72	13	-	43	11			X			
AW-02068	HILLCREST ROAD	73	13	-	42	12			X			
AW-02069	HILLCREST ROAD	78	13	-	41	11			X			
AW-02070	HILLCREST ROAD	82	13	-	40	11	X					
AW-02071	HILLCREST ROAD	87	16	-	5	12			X			
AW-02072	HILLCREST ROAD	90	16	-	4	11			X			
AW-02073	HILLCREST ROAD	91	16	-	25	11			X			
AW-02074	HILLCREST ROAD	93	16	-	27	11			X			
AW-02075	HILLCREST ROAD	94	16	-	26	11			X			
AW-02076	HILLCREST ROAD	95	16	-	29	11			X			
AW-02077	HILLCREST ROAD	96	16	-	28	11			X			
AW-02078	HILLCREST ROAD	97	16	-	30	11			X			
AW-02079	HILLCREST ROAD	99	16	-	41	11			X			
AW-02080	HILLCREST ROAD	101	16	-	48	11			X			
AW-02081	HILLCREST ROAD	102	16	-	32	11			X			
AW-02082	HILLCREST ROAD		14	-	66	27				X		
AW-02083	HILLCREST ROAD	BL95	17	-	3	19					X	
AW-02084	MEADOWBROOK LANE	1	16	-	1	11	X					
AW-02085	MEADOWBROOK LANE	2	13	-	38	11	X					
AW-02086	MEADOWBROOK LANE	3	16	-	2	11	X					
AW-02087	MEADOWBROOK LANE	4	13	-	37	11	X					
AW-02088	MEADOWBROOK LANE	9	16	-	3	11	X					
AW-02089	MEADOWBROOK LANE	10	13	-	36	11	X					
AW-02090	MEADOWBROOK LANE	11	13	-	34	11	X					
AW-02091	MEADOWBROOK LANE	12	13	-	35	11	X					
AW-02092	MEADOWBROOK LANE	13	13	-	32	11	X					
AW-02093	MEADOWBROOK LANE	14	13	-	33	11	X					
AW-02094	MEADOWBROOK LANE	15	13	-	30	11	X					
AW-02095	MEADOWBROOK LANE	16	13	-	31	11	X					
AW-02096	MEADOWBROOK LANE	17	13	-	27	11	X					
AW-02097	MEADOWBROOK LANE	20	13	-	29	11	X					
AW-02098	MEADOWBROOK LANE	21	13	-	39	11	X					
AW-02099	MEADOWBROOK LANE	22	13	-	28	11	X					
AW-02100	MUSCOVY DRIVE	3	13	-	46	11			X			
AW-02101	MUSCOVY DRIVE	4	13	-	47	11			X			
AW-02102	MUSCOVY DRIVE	5	13	-	48	11			X			
AW-02103	MUSCOVY DRIVE	6	13	-	49	11			X			
AW-02104	MUSCOVY DRIVE	7	13	-	50	11			X			
AW-02105	MUSCOVY DRIVE	8	13	-	53	11			X			
AW-02106	MUSCOVY DRIVE	9	13	-	52	11			X			
AW-02107	MUSCOVY DRIVE	10	13	-	115	11			X			
AW-02108	MUSCOVY DRIVE	11	13	-	112	11			X			
AW-02109	MUSCOVY DRIVE	15	13	-	113	11			X			
AW-02110	MUSCOVY DRIVE	17	13	-	114	11			X			
AW-02111	MUSCOVY DRIVE	BL12	13	-	54	27					X	
AW-02112	MUSCOVY DRIVE	BL13	13	-	51	27					X	
AW-02113	ROCKY HILL DRIVE	2	16	-	31	11			X			
AW-02114	ROCKY HILL DRIVE	3	16	-	34	11			X			
AW-02115	ROCKY HILL DRIVE	4	16	-	33	11			X			
AW-02116	ROCKY HILL DRIVE	5	16	-	36	11			X			
AW-02117	ROCKY HILL DRIVE	6	16	-	35	11			X			
AW-02118	ROCKY HILL DRIVE	7	16	-	38	11			X			
AW-02119	ROCKY HILL DRIVE	8	16	-	37	11			X			
AW-02120	ROCKY HILL DRIVE	9	16	-	40	11			X			
AW-02121	ROCKY HILL DRIVE	10	16	-	39	11			X			
AW-02122	ROOKERY WAY	1	14	-	50	11	X					
AW-02123	ROOKERY WAY	2	14	-	51	11	X					
AW-02124	ROOKERY WAY	3	14	-	52	11	X					
AW-02125	ROOKERY WAY	4	14	-	53	11	X					
AW-02126	ROOKERY WAY	6	14	-	54	11	X					
AW-02127	ROOKERY WAY	7	14	-	55	11	X					
AW-02128	ROOKERY WAY	9	14	-	49	27					X	

Table A-2  
Litchfield - Hillcrest Road Area  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connected <sup>2</sup>	Connection to Existing Water Line	Water Line Extension	Undeveloped - Curb Stop <sup>3</sup>	Undeveloped - No Curb Stop <sup>4</sup>	POET System
AW-02129	ROOKERY WAY	11	14	-	115	11	X					
AW-02130	ROOKERY WAY	12	14	-	116	11	X					
AW-02131	ROOKERY WAY	13	14	-	114	11	X					
AW-02132	ROOKERY WAY	14	14	-	117	11	X					
AW-02133	ROOKERY WAY	15	14	-	113	11	X					
AW-02134	ROOKERY WAY	16	14	-	118	11	X					
AW-02135	ROOKERY WAY	17	14	-	112	11	X					
AW-02136	ROOKERY WAY	18	14	-	119	11	X					
AW-02137	ROOKERY WAY	20	14	-	120	11	X					
AW-02138	ROOKERY WAY	22	14	-	121	11	X					
AW-02139	SHIRLEY WAY	2	16	-	6	11			X			
AW-02140	SHIRLEY WAY	3	16	-	11	11			X			
AW-02141	SHIRLEY WAY	4	16	-	10	11			X			
AW-02142	SHIRLEY WAY	5	16	-	13	11			X			
AW-02143	SHIRLEY WAY	6	16	-	12	11			X			
AW-02144	SHIRLEY WAY	7	16	-	15	11			X			
AW-02145	SHIRLEY WAY	8	16	-	14	11			X			
AW-02146	SHIRLEY WAY	9	16	-	17	11			X			
AW-02147	SHIRLEY WAY	10	16	-	16	11			X			
AW-02148	SHIRLEY WAY	11	16	-	19	11			X			
AW-02149	SHIRLEY WAY	12	16	-	18	11			X			
AW-02150	SHIRLEY WAY	13	16	-	21	11			X			
AW-02151	SHIRLEY WAY	14	16	-	20	11			X			
AW-02152	SHIRLEY WAY	15	16	-	23	11			X			
AW-02153	SHIRLEY WAY	16	16	-	22	11			X			
AW-02154	SHIRLEY WAY	18	16	-	24	11			X			
AW-02155	SPICEBUSH CIRCLE	1	14	-	58	11	X					
AW-02156	SPICEBUSH CIRCLE	3	14	-	62	11	X					
AW-02157	SPICEBUSH CIRCLE	4	14	-	63	11	X					
AW-02158	SPICEBUSH CIRCLE	5	14	-	65	11	X					
AW-02159	SPICEBUSH CIRCLE	6	14	-	64	11	X					
AW-02160	TAMARACK LANE	1	14	-	68	11			X			
AW-02161	TAMARACK LANE	5	14	-	72	11			X			
AW-02162	TAMARACK LANE	6	14	-	70	11			X			
AW-02163	TAMARACK LANE	7	14	-	74	11			X			
AW-02164	TAMARACK LANE	8	14	-	71	11			X			
AW-02165	TAMARACK LANE	9	14	-	75	11			X			
AW-02166	TAMARACK LANE	10	14	-	73	11			X			
AW-02167	TANAGER WAY	39	14	-	193	11	X					
AW-02168	TANAGER WAY	40	14	-	192	11	X					
AW-02169	TANAGER WAY	41	14	-	194	11	X					
AW-02170	TANAGER WAY	42	17	-	39	11	X					
AW-02171	TANAGER WAY	43	14	-	195	11	X					
AW-02172	TANAGER WAY	44	17	-	37	11	X					
AW-02173	TANAGER WAY	45	14	-	196	11	X					
AW-02174	TANAGER WAY	46	17	-	36	11	X					
AW-02175	TANAGER WAY	47	14	-	197	11	X					
AW-02176	TANAGER WAY	49	14	-	138	27					X	
AW-02177	TANAGER WAY	BL138	17	-	38	27					X	
AW-02178	WILLOW DRIVE	2	14	-	56	11	X					
AW-02179	WILLOW DRIVE	4	14	-	57	11	X					
AW-02180	WILLOW DRIVE	6	14	-	59	11	X					
AW-02181	WILLOW DRIVE	7	14	-	61	11	X					
AW-02182	WILLOW DRIVE	8	14	-	60	11	X					

Notes

- 1) Alternate water status based on results received through February 9, 2022.
- 2) Connected to PWS, according to Information provided by PWS or homeowner.
- 3) Undeveloped property with an address and frontage to a water line extension area. A curb stop will be installed if NHDES approves and determines this parcel may be developed, and a curb stop is allowed by the PWS.
- 4) Undeveloped property with an address and frontage to an existing water line area, or no frontage to a water line extension area. No curb stop will be installed.
- 5) Available information indicates this property is already connected to a PWS. This information will be confirmed during alternate water implementation.



**LEGEND**

Pre-GMZ Boundary (see Note 1)  
 Outer Boundary (see Note 1)  
 Town Boundary  
 Litchfield - Hillcrest Road Area  
 NHDES Sample Location  
 Golden Sample Location  
 Approximate Location of Known Water Main Line  
**POA Results**  
 Non-detect  
 ≤ 12 ppt  
 > 12 ppt  
**Addendum 13 Properties**  
 Identified for Sampling or Confirmation of Water Supply Status  
 Identified for Resampling - Prior Addendum  
**Work Plan and Addendum 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 Properties**  
 Properties not Currently Eligible for Sampling  
**Access to Water Mains**  
 Confirmed Connection to PWS

Bottled Water Parcel and Access to Water Mains is Likely  
 Occupants have been Offered Bottled Water  
 Identified for Sampling Where Occupants have been Offered Bottled Water  
 Identified for Sampling or Confirmation of Water Supply Status  
**Property-Water Main Status**  
 Access to Alternate Water (if applicable) confirmed by Consent Decree  
 Connection to PWS Confirmed  
 Access to Water Main is Likely  
 Access to Water Mains is not Likely

**NOTE(S)**

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 20, 2014.  
 2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 9, 2022.  
 3. POA DATASET INCLUDES DATA RECEIVED AS OF FEBRUARY 3, 2022 AND DATA PROVIDED BY NHDES ON AUGUST 12, 2021.  
 4. MOST RECENT DATA FOR EACH LOCATION IS SHOWN. IF MULTIPLE SAMPLES WERE TAKEN ON THE SAME DATE THE SAMPLE WITH THE HIGHEST VALUE IS SHOWN.

**REFERENCE(S)**

1. COORDINATE SYSTEM: NAD 1983 STATEPLANE NEW HAMPSHIRE FIPS 2600 FEET  
 2. BASEMAP: HERE, HERE, GARMIN, (C) OPENSTREETMAP CONTRIBUTORS AND THE QGIS USER COMMUNITY

<b>CLIENT</b>		SAINT-GOBAIN PERFORMANCE PLASTICS	
<b>PROJECT</b>		SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY MERRIMACK, NH	
<b>TITLE</b>		ANALYTICAL RESULTS SUMMARY LITCHFIELD - HILLCREST ROAD AREA	
<b>CONSULTANT</b>		YYYY-MM-DD	2022-04-08
<b>GOLDER</b> MEMBER OF WSP		DESIGNED	RWB
		PREPARED	CMS
		REVIEWED	BDL
		APPROVED	RWB
PROJECT NO.	CONTROL	REV.	FIGURE
20142270			A-2



Table A-3  
Merrimack - Wildcat Falls Area and Brenda Lane  
Parcel Summary

ID <sup>1</sup>	Street Name	Street Number	Map	Block	Lot	SLUC	Connected <sup>2</sup>	Connection to Existing Water Line	Water Line Extension	Undeveloped - Curb Stop <sup>3</sup>	Undeveloped - No Curb Stop <sup>4</sup>	POET System
AW-03001	ATHERTON RD	3	04C	-	255	27				X		
AW-03002	ATHERTON RD	10	05C	-	646	27				X		
AW-03003	BRENDA LN	35	07C	-	35	11			X			
AW-03004	BRENDA LN	36	07C	-	32	11			X			
AW-03005	BRENDA LN	37	07C	-	34	11			X			
AW-03006	BRENDA LN	38	-	-	33	11			X			
AW-03007	CHRISTOPHER RD	3	04C	-	276	11	X					
AW-03008	CHRISTOPHER RD	4	04C	-	274	11	X					
AW-03009	CHRISTOPHER RD	5	04C	-	276	11	X					
AW-03010	CHRISTOPHER RD	9	04C	-	273	11	X					
AW-03011	CHRISTOPHER RD	11	04C	-	272	11		X				
AW-03012	CHRISTOPHER RD	15	04C	-	271	11		X				
AW-03013	CHRISTOPHER RD	17	04C	-	270	57		X				
AW-03014	CHRISTOPHER RD	19	04C	-	268	27					X	
AW-03015	CHRISTOPHER RD	20	04C	-	269	11		X				
AW-03016	EDWARD LN	1	05C	-	647	11			X			
AW-03017	EDWARD LN	1.5	05C	-	647	11			X			
AW-03018	EDWARD LN	2	05C	-	657	11			X			
AW-03019	EDWARD LN	3	-	-	648	11			X			
AW-03020	EDWARD LN	4	05C	-	655	11			X			
AW-03021	EDWARD LN	5	-	-	649	11			X			
AW-03022	EDWARD LN	6	-	-	655	11			X			
AW-03023	EDWARD LN	7	-	-	266	11			X			
AW-03024	EDWARD LN	8	05C	-	654	11			X			
AW-03025	EDWARD LN	9	-	-	266	11			X			
AW-03026	EDWARD LN	10	-	-	653	11			X			
AW-03027	EDWARD LN	12	05C	-	652	11			X			
AW-03028	EDWARD LN	14	05C	-	651	11			X			
AW-03029	EDWARD LN	16	05C	-	650	11			X			
AW-03030	EDWARD LN	18	04C	-	267	11			X			
AW-03031	EDWARD LN	2A	05C	-	656	11			X			
AW-03032	EDWARD LN	4A	-	-	655	11			X			
AW-03033	JOHN LN	5	04C	-	265	11			X			
AW-03034	JOHN LN	6	-	-	266	11			X			
AW-03035	JOHN LN	7	-	-	264	11			X			
AW-03036	JOHN LN	8	-	-	266	11			X			
AW-03037	JOHN LN	10	04C	-	266	11			X			
AW-03038	WILDCAT FALLS RD	2	04C	-	261	11	X					
AW-03039	WILDCAT FALLS RD	3	04C	-	274	11	X					
AW-03040	WILDCAT FALLS RD	5	04C	-	274	11	X					
AW-03041	WILDCAT FALLS RD	6	04C	-	262	11		X				
AW-03042	WILDCAT FALLS RD	7	04C	-	274	11	X					
AW-03043	WILDCAT FALLS RD	10	04C	-	263	11		X				

**Notes**

- 1) Alternate water status based on results received through February 9, 2022.
- 2) Connected to PWS, according to information provided by PWS or homeowner.
- 3) Undeveloped property with an address and frontage to a water line extension area. A curb stop will be installed if NHDES approves and determines this parcel may be developed, and a curb stop is allowed by the PWS.
- 4) Undeveloped property with an address and frontage to an existing water line area, or no frontage to a water line extension area. No curb stop will be installed.





#### LEGEND

- Pre-GMZ Boundary (see Note 1)
- Outer Boundary (see Note 1)
- Town Boundary
- Merrimack - Wildcat Falls
- NHOES Sample Location
- Golder Sample Location
- Approximate Location of Known Water Main

#### PFOA Results

- Non-detect
- ≤12 ppt
- >12 ppt
- Properties not Currently Eligible for Sampling
- Identified for Resampling - Prior
- Confirmed Connection to PWS

- Bottled Water Parcel and Access to Water Mains is Likely
- Occupants have been Offered Bottled Water
- Identified for Sampling Where Occupants have been Offered Bottled Water
- Identified for Sampling or Confirmation of Water Supply Status

#### Properly-Water Main Status

- Connection to PWS Confirmed
- Access to Water Main is Likely
- Access to Water Mains is not Likely



#### NOTE(S)

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE: STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 23, 2018.
2. BOTTLLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 9, 2022.
3. PFOA DATASET INCLUDES DATA RECORDED AS OF FEBRUARY 3, 2022, AND DATA PROVIDED BY NHOES ON AUGUST 12, 2021.
4. MOST RECENT DATA FOR EACH LOCATION IS SHOWN. IF MULTIPLE SAMPLES WERE TAKEN ON THE SAME DATE, THE SAMPLE WITH THE HIGHEST VALUE IS SHOWN.

#### REFERENCES

1. COORDINATE SYSTEM: NAD 83 STATEPLANE NEW HAMPSHIRE FIPS 3600 FEET
2. BASEMAP: ENR, HERE, GARMIN, ESRI, GROUNDSTREETMAP CONTRIBUTORS AND THE GIS USER COMMUNITY
3. SOURCES: ENR, HERE, GARMIN, INTERMAP, INCREMENT P CORP., DEBCO, USGS, FAS, NPS, MERRIMACK, GEORGIA, KRASTEN, N. ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA

#### CLIENT

SAINT-GOBAIN PERFORMANCE PLASTICS

PROJECT  
ALTERNATE WATER  
SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY  
MERRIMACK, NH

TITLE  
ANALYTICAL RESULTS SUMMARY  
MERRIMACK - WILDCAT FALLS AREA

#### CONSULTANT



PROJECT NO.  
20142270

CONTROL

YYYY-MM-DD 2022-04-08

DESIGNED BOL


PREPARED CMS

REVIEWED BOL

APPROVED RWB

REV.

FIGURE  
A-3A



- LEGEND**
- Pre-GMZ Boundary (see Note 1)
  - Outer Boundary (see Note 1)
  - Town Boundary
  - Merrimack - Brenda Lane
  - NHDES Sample Location
  - Golder Sample Location
  - Approximate Location of Known Water Main Line
  - PFOA Results**
  - Non-detect
  - ≤12 ppt
  - >12 ppt
  - Work Plan and Addendum 1, 2, 3, 4, 6, 7, 8, 9, 10, 11 and 12 Properties
  - Properties not Currently Eligible for Sampling

- Occupants have been Offered Bottled Water
- Identified for Sampling Where Occupants have been Offered Bottled Water
- Identified for Sampling or Confirmation of Water Supply Status
- Access to Alternate Water (if applicable) confirmed by Consent Decree
- Property-Water Main Status**
- Connection to PWS Confirmed
- Access to Water Main is Likely
- Access to Water Mains is not Likely



**NOTE(S)**

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 20, 2018.
2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 8, 2022.
3. PFOA DATASET INCLUDES DATA RECEIVED AS OF FEBRUARY 2, 2022, AND DATA PROVIDED BY NHDES ON AUGUST 12, 2021.
4. MOST RECENT DATA FOR EACH LOCATION IS SHOWN. IF MULTIPLE SAMPLES WERE TAKEN ON THE SAME DATE, THE SAMPLE WITH THE HIGHEST VALUE IS SHOWN.

**REFERENCE(S)**

1. COORDINATE SYSTEM: NAD 83 STATEPLANE NEW HAMPSHIRE FIPS 2000 FEET
2. BASEMAP: ESRI, HERE, Garmin, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
3. AIRCRAFT: ESRI, HERE, Garmin, INTERMAP, INCREMENT P CORP., GEBCO, USGS, FAO, NPS, NRCAN, GEBCO, IGN, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA

<b>CLIENT</b>		SAINT-GOBAIN PERFORMANCE PLASTICS	
<b>PROJECT</b>		ALTERNATE WATER SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY MERRIMACK, NH	
<b>TITLE</b>		ANALYTICAL RESULTS SUMMARY MERRIMACK - BRENDA LANE	
<b>CONSULTANT</b>		YYYY-MM-DD	2022-04-08
		DESIGNED	BDL
		PREPARED	CMS
		REVIEWED	BDL
		APPROVED	RWB
<b>PROJECT NO.</b>		<b>CONTROL</b>	<b>REV.</b>
20142270			







Table A-4  
Other Areas - Connections to Existing Water Line  
Parcel Summary

ID <sup>1</sup>	Town	Street Name	Street Number	Map	Block	Lot	SLUC	BW Number	Connection to Existing Water Line
AW-04001	Bedford	COUNTY RD	37	21	58	2	11	BW-00833	X
AW-04002	Bedford	COUNTY RD	41	21	58	3	11	BW-00929	X
AW-04003	Bedford	COUNTY RD	120	21	8	33	11	BW-00580	X
AW-04004	Bedford	COUNTY RD	134	21	63		11	BW-00446	X
AW-04005	Bedford	COUNTY RD	200	25	26		11	BW-00519	X
AW-04006	Bedford	COUNTY RD	214	25	23	1	11	BW-00010	X
AW-04007	Bedford	COUNTY RD	242	25	16	1	11	BW-00673	X
AW-04008	Bedford	JENKINS RD	72	32	38		11	BW-00956	X
AW-04009	Bedford	JENKINS RD	106	39	21		11	BW-00945	X
AW-04010	Litchfield	MOLSOM CIRCLE	8	10		162	11	BW-00548	X
AW-04011	Litchfield	NESENKEAG DRIVE	22	10		67	11	BW-00527	X
AW-04012	Litchfield	PINECREST ROAD	103	14		2	11	BW-00078	X <sup>2</sup>
AW-04013	Litchfield	TALENT ROAD	50	7		23	11	BW-00954	X
AW-04014	Londonderry	HIGH RANGE RD	271	11	77	0	11	BW-00658	X
AW-04015	Londonderry	KIMBALL RD	6	11	28	0	11	BW-00584	X
AW-04016	Londonderry	KIMBALL RD	8	11	28	1	11	BW-00082	X
AW-04017	Londonderry	KIMBALL RD	15	11	30	0	11	BW-00413	X
AW-04018	Londonderry	KIMBALL RD	22	11	34	0	11	BW-00322	X
AW-04019	Londonderry	KIMBALL RD	38	11	57	1	11	BW-00508	X
AW-04020	Londonderry	KIMBALL RD	39	11	56	2	17	BW-00533	X
AW-04021	Londonderry	KIMBALL RD	41	11	56	3	11	BW-00715	X
AW-04022	Londonderry	LITCHFIELD RD	107	11	25	0	11	BW-00292	X
AW-04023	Londonderry	LITCHFIELD RD	108	11	26	1-9	11	BW-00320	X
AW-04024	Londonderry	LITCHFIELD RD	111	11	25	2	11	BW-00288	X
AW-04025	Londonderry	LITCHFIELD RD	114	11	26	1-2	11	BW-00083	X
AW-04026	Londonderry	LITCHFIELD RD	162	14	39	0	11	BW-00604	X
AW-04027	Merrimack	BABOOSIC LAKE RD	159	05B		198	11	BW-00918	X
AW-04028	Merrimack	BEDFORD RD	61	06D		93	11	BW-00097	X <sup>2</sup>
AW-04029	Merrimack	DW HIGHWAY	496	D-3		111	33	BW-00105	X
AW-04030	Merrimack	FALCON DR	4	06C		320	11	BW-00107	X
AW-04031	Merrimack	FALCON DR	6	06C		319	11	BW-00128	X
AW-04032	Merrimack	JOPPA RD	40	05C		237	11	BW-00108	X
AW-04033	Merrimack	JOPPA RD	90	06C		385	11	BW-00109	X
AW-04034	Merrimack	KLARA DR	9	06C		607	11	BW-00110	X
AW-04035	Merrimack	PEARSON RD	32	07D		3	11	BW-00111	X
AW-04036	Merrimack	PEARSON RD	38	07D		3	11	BW-00112	X
AW-04037	Merrimack	PEARSON RD	40	07D		4	11	BW-00113	X
AW-04038	Merrimack	PEARSON RD	52	07D		5	11	BW-00114	X
AW-04039	Merrimack	PEARSON RD	55	07D		11	11	BW-00289	X
AW-04040	Merrimack	PEARSON RD	59	07D		11	11	BW-00115	X
AW-04041	Merrimack	PEARSON RD	60	07D		9	11	BW-00321	X
AW-04042	Merrimack	WEST CHAMBERLAIN RD	20	04C		277	11	BW-00116	X
AW-04043	Merrimack	WESTCOTT DR	5	06C		147	11	BW-00881	X
AW-04044	Merrimack	WHISPERING PINES LN	6	06C		162	11	BW-00117	X
AW-04045	Merrimack	WIRE RD	83	06C		227	11	BW-00120	X
AW-04046	Merrimack	WIRE RD	85	06C		226	11	BW-00121	X
AW-04047	Merrimack	WIRE RD	75A	06C		231	11	BW-00126	X
AW-04048	Merrimack	WIRE RD	77A	06C		231	11	BW-00119	X <sup>2</sup>

Notes

- 1) Alternate water status based on results received through February 9, 2022.
- 2) Available information indicates this property is already connected to a PWS. This information will be confirmed during alternate water implementation.



#### LEGEND

- Saint-Gobain Merrimack Facility
- ▬ Pre-GMZ Boundary (see Note 1)
- ▬ Outer Boundary (see Note 1)
- ▬ Town Boundary
- ▬ Other Areas - Connection to Existing Water Line
- NHDES Sample Location
- △ Golden Sample Location
- ▬ Approximate Location of Known Water Main Line

#### PFOA Results

Non-detect

≤12 ppt

>12 ppt

Potential Other Sources

Fire Stations 2500 ft Buffer

Airport Potential Source Boundary

Landfill Boundary 2000 ft Buffer

Landfill - Approximate GMZ Boundary Before AGOS

#### Appendix 13 Properties

Identified for Sampling or Confirmation of Water Supply Status

#### Work Plan and Addendum 1-12 Properties

Properties not Currently Eligible for Sampling

Confirmed Connection to PWS

Boiled Water Period and Access to Water Mains is Likely

Connections have been Offered Boiled Water

Identified for Sampling Where Occupants have been Offered Boiled Water

Identified for Sampling or Confirmation of Water Supply Status

Access to Alternate Water (if applicable) confirmed by Consent Decline

Connection to PWS Confirmed

Access to Water Mains is Likely

Access to Water Mains is not Likely

NOTES

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF ORDINANCE GEORGE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. BAKING-GOBAIN PERFORMANCE PLASTICS CORPORATION, 12/20/2015.

2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 8, 2022.

3. COORDINATE SYSTEM: NAD 1983 STATEPLANS NEW HAMPSHIRE PWS 2500 FEET

4. BASEMAP ESRI, HERE, GARMIN, INTERMAP, INCREMENT P CORP, GEBCO, USGS, FAD, NPS, NRCAN, GEBCO, KRI, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

SOURCES: ESRI, HERE, GARMIN, INTERMAP, INCREMENT P CORP, GEBCO, USGS, FAD, NPS, NRCAN, GEBCO, KRI, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

#### CLIENT

SAINT-GOBAIN PERFORMANCE PLASTICS

#### PROJECT

ALTERNATE WATER  
SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY  
MERRIMACK, NH

#### TITLE

ANALYTICAL RESULTS SUMMARY  
OTHER AREAS - CONNECTION TO EXISTING WATER LINES

#### CONSULTANT

**GOLDER**  
MEMBER OF WSP

PROJECT NO.  
20142270

CONTROL



REV.

APPROVED

FIGURE  
A-4A

THIS DOCUMENT IS THE PROPERTY OF GOLDER. IT IS TO BE USED ONLY FOR THE PROJECT AND NOT BE LOANED, REPRODUCED, COPIED, OR DISTRIBUTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF GOLDER.





- LEGEND**
- Pre-GMZ Boundary (see Note 1)
  - Outer Boundary (see Note 1)
  - Town Boundary
  - Other Areas - Connection to Existing Water Line
  - NHDES Sample Location
  - Golden Sample Location
  - Approximate Location of Known Water Main Line
  - PFOA Results**
  - Non-detect
  - ≤12 ppt
  - >12 ppt
  - Potential Other Sources
  - Fire Stations 2500 ft Buffer
  - Landfill Boundary 2000 ft Buffer
  - Landfill - Approximate GMZ Boundary Before AGOS
  - Addendum 13 Properties
  - Identified for Sampling or Confirmation of Water Supply Status
  - Work Plan and Addendum 1-12 Properties
  - Properties not Currently Eligible for Sampling
  - Confirmed Connection to PWS

- Bottled Water Parcel and Access to Water Mains is Likely
- Occupants have been Offered Bottled Water Identified for Sampling Where Occupants have been Offered Bottled Water
- Identified for Sampling or Confirmation of Water Supply Status
- Property-Water Main Status**
- Access to Alternate Water (if applicable) confirmed by Consent Decree
- Connection to PWS Confirmed
- Access to Water Main is Likely
- Access to Water Mains is not Likely

**NOTES**


1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 23, 2018.
2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 9, 2022.

**REFERENCES**

1. COORDINATE SYSTEM: NAD 1983 STATEPLANE NEW HAMPSHIRE FIPS 2000 FEET
2. BASEMAP: ESRI, HERE, CARMIN, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
3. SOURCES: ESRI, HERE, CARMIN, INTERMAP, INCREMENT P CORP., GEOCO, USGS, FAO, NPS, NRCAL, GEBCO, IGN, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

<b>CLIENT</b>	
SAINT-GOBAIN PERFORMANCE PLASTICS	
<b>PROJECT</b>	
ALTERNATE WATER SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY MERRIMACK, NH	
<b>TITLE</b>	
ANALYTICAL RESULTS SUMMARY OTHER AREAS - CONNECTION TO EXISTING WATER LINES	
<b>CONSULTANT</b>	
GOLDER MEMBER OF WSP	
<b>PROJECT NO.</b>	
20142270	
<b>CONTROL</b>	
=	
<b>REV.</b>	
=	
<b>DATE</b>	<b>BY</b>
2022-04-08	BDL
DESIGNED	BDL
PREPARED	CMS
REVIEWED	BDL
APPROVED	HWB





**LEGEND**

- Pre-GMZ Boundary (see Note 1)
- Outer Boundary (see Note 1)
- Town Boundary
- Other Areas - Connection to Existing Water Lines
- MHDES Sample Location
- Golden Sample Location
- Appropriate Location of Known Water Main Line

**PFDA Results**

- Non-detect
- <12 ppt
- >12 ppt
- Potential Other Sources
- Fire Station 5500 ft Buffer
- Landfill Boundary 2000 ft Buffer
- Landfill - Appropriate GMZ Boundary Before AGCS

**Additional 13 Properties**

- Modelled for Sampling or Confirmation of Water Supply Status
- Work Plan and Addendum 1-12 Properties
- Properties not Currently Eligible for Sampling
- Confirmed Connection to PWS

Bottled Water Parcel and Access to Water Mains is Likely

Occupants have been Offered Bottled Water (Modelled for Sampling Where Occupants have been Offered Bottled Water)

Identified for Sampling or Confirmation of Water Supply Status

**Property-Water Main Status**

- Access to Alternate Water (if applicable) confirmed by Customer Decision
- Connection to PWS Confirmed
- Access to Water Main is Likely
- Access to Water Mains is not Likely

**NOTES**

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MAPEN 10, 2015.
2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 9, 2022.

**REFERENCE(S)**

1. COORDINATE SYSTEM: NAD 1983 STATEPLANE NEW HAMPSHIRE FIPS 2600 FEET
2. GSA/MA/ESRI, HERE, GARMIN, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

**SOURCE:** ESRI, HERE, GARMIN, INTERMAP INCORPORATED CORP., GEBCO, USGS, FAO, NPS, NRCAN, GEBCO, IGN, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

CLIENT

SAINT-GOBAIN PERFORMANCE PLASTICS

**PROJECT**  
ALTERNATE WATER  
SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY  
MERRIMACK, NH

**TITLE**  
ANALYTICAL RESULTS SUMMARY  
OTHER AREAS - CONNECTION TO EXISTING WATER LINES

CONSULTANT

**GOLDER**  
MEMBER OF WSP

PROJECT NO.  
20142270

CONTROL

REV.

YYYY-MM-DD 2022-04-08

DESIGNED BDL


PREPARED CWS

REVIEWED BDL

APPROVED RWS

FIGURE  
A-4C





**LEGEND**

Pre-GMZ Boundary (see Note 1)  
 Outer Boundary (see Note 1)  
 Town Boundary  
 Other Areas - Connection to Existing Water Line  
 NHDES Sample Location  
 Golden Sample Location  
 Approximate Location of Known Water Main Line

**PPOA Results**

Non-detect  
 ≤12 ppt  
 >12 ppt

**Addendum 13 Properties**

Identified for Sampling or Confirmation of Water Supply Status  
 Properties not Currently Eligible for Sampling  
 Confirmed Connection to PWS  
 Bottled Water Parcel and Access to Water Mains is Likely  
 Occupants have been Offered Bottled Water  
 Identified for Sampling Where Occupants have been Offered Bottled Water  
 Identified for Sampling or Confirmation of Water Supply Status

**Property-Water Main Status**

Access to Alternate Water (if applicable) confirmed by Consent Decree  
 Confirmation to PWS Confirmed  
 Access to Water Main is Likely  
 Access to Water Mains is not Likely

**NOTES**

1. PRE-GMZ BOUNDARY AND OUTER BOUNDARY FROM ATTACHMENT C OF CONSENT DECREE, STATE OF NEW HAMPSHIRE, DEPT. OF ENVIRONMENTAL SERVICES V. SAINT-GOBAIN PERFORMANCE PLASTICS CORPORATION, MARCH 29, 2018.  
 2. BOTTLED WATER STATUS BASED ON RESULTS RECEIVED THROUGH FEBRUARY 9, 2022.

**REFERENCES**

1. COORDINATE SYSTEM: NAD 1983 STATEPLANE NEW HAMPSHIRE FIPS 2000 FEET  
 2. BASEMAP ESRI HERE, GAHMIN, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY  
 SOURCES: ESRI HERE, GAHMIN, INTERMAP, INCREMENT P CORP., GENCO, USGS, FAO, NPS, NRCAN, DEGRASS, KON, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

CLIENT

SAINT-GOBAIN PERFORMANCE PLASTICS

PROJECT  
 ALTERNATE WATER  
 SAINT-GOBAIN PERFORMANCE PLASTICS FACILITY  
 MERRIMACK, NH

TITLE  
 ANALYTICAL RESULTS SUMMARY  
 OTHER AREAS - CONNECTION TO EXISTING WATER LINES

CONSULTANT

**GOLDER**  
 MEMBER OF WSP

PROJECT NO.  
 20142270

CONTROL  
 -

REV.  
 -

YYYY-MM-DD	2022-04-08
DESIGNED	BDL
PREPARED	CMS
REVIEWED	BDL
APPROVED	RWB

FIGURE  
 A-4D